



New innovative X-Diamond™ 18 gauge cut level D glove, PU coating. Stronger, Thinner and More Comfortable. Cool feeling, touch screen function.

KEY FEATURES

- Engineered with new X-Diamond technology yarn material, which is much stronger and durable than common cut protection glove yarns. No glass fiber or steel fiber needed to enhance the cut protection, which makes the glove thinner and more comfortable, no worries of skin allergy caused by glass fiber. A game changer to cut protection gloves.
- Ultra-thin, super dexterity, flexibility and comfort. Perfect fitting and cool feeling for all day comfort.
- X-Tech PU coating offers good grip performance and sensitivity.
- The reinforcement in the crotch greatly extends the glove life and offers extra protection.
- Touch screen function.



PRODUCT DETAILS

Liner	X-Diamond yarn, nylon, spandex
Gauge	18
Coating	XTech PU
Finishing	XTech
Colour	Grey / Black
Size	6,7,8,9,10,11
Packing	12 pairs/pack, 144 pairs/carton
Tariff number	61161080

RECOMMENDED APPLICATIONS

General purpose or precision works with high cut hazard in dry or light oily conditions.

Such as precision works, assembly, handling parts with sharp or rough edges, maintenance, general handling, inspection, packaging, sorting...



CERTIFICATION

CE EN ISO 21420:2020

Category II

**EN388:2016 Mechanical protection:
levels obtained in laboratory tests**

Abrasion (min.0 to max. 4):	3
Blade cut - coupe test (Index) (min.0 to max. 5):	X
Tear (min.0 to max. 4):	4
Puncture (min.0 to max. 4):	2
Cut resistance from sharp objects EN ISO 13997:1999 (min. A to max. F, X - not tested):	D
Impact protection (P if pass, F if failed):	-

EN388:2016



3X42D

EN ISO 21420:2020 Dexterity (min.0 to max.5):
level 5.

STORAGE AND SHELF LIFE

Please store the products in original packing in a dry and cool place without direct sunlight in general. The shelf life depends on the storage and other conditions. For the new product stored in a properly way, the shelf life of Xcellent 18-951 can normally be 5 years.

CLEANING

Washing or dry-cleaning requires prior consultation with a recognized specialist, because such treatment may alter the protective properties of the glove. The gloves must always be checked for integrity before reuse. The rating with the marked performance levels based on tests on unused gloves.

WARNING

Don't use in case of chemicals or electrical risk.
Please ensure the products are strictly used within their protection levels.
Never wear gloves when operating machinery with accessible rotating or other moving parts.

